







PAGE: 04 - 19 **44mm CABINS**



PAGE: 20 - 27 **28mm CABINS**



PAGE: 28 - 30 **19mm CABINS**



PAGE: 32
UPGRADES & ACCESSORIES









REGATTA44mm Log Cabin:

AVAILABLE SIZES:

■ 18'x10' | 20'x10'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Unique Hip-Roof Self Supporting Roof
- Heavy Duty 19mm T&G Roof & Floor
- Easy To Assemble Interlock System
- Full Pane Toughened Glazed Double Doors & Windows

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mi

■ Roof Thickness: 19mm

■ Floor Thickness: 19mn

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 645mm x 1880mm







HATFIELD44mm Log Cabin:

AVAILABLE SIZES:

■ 14'x8'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Quality Joiner Made Full Pane Opening Windows
- Toughened Double Glazed Doors & Windows
- 5 Lever Lock as Standard

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mr

■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 435mm x 1855mm

Main image shows 14'x8' model







ASHBOURNE 44mm Log Cabin:

AVAILABLE SIZES:

■ 12'x8' | 12'x10' | 12'x12' 14'x10' | 14'x12'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- European Glazed Double Doors
- Quality Joiner Made Opening Windows
- Easy To Assemble Interlock System

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19m
■ Floor Thickness: 19m

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 645mm x 1045mm







LULWORTH 44mm Log Cabin:

AVAILABLE SIZES:

■ 16'x10' | 16'x12' | 18'x10' 18'x12'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Versatile Outdoor Shelter Area
- Quality Joiner Made Opening Windows
- Toughened Glazed Doors & Windows
- Heavy Duty 19mm T&G Roof and Floor

TECHNICAL SPEC:

■ Log Thickness: 44mr

■ Framing Size: 58mm x 44mn

■ Roof Thickness: 19mn
■ Floor Thickness: 19mn

■ **Door Size**: 1520mm x 1880mm ■ **Window Size**: 645mm x 1378mm







CHATSWORTH 44mm Log Cabin:

AVAILABLE SIZES:

■ 12' x 8'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Internal Partition Gives Additional Storage Area
- Half Glazed Double Doors
- Easy To Assemble Interlock System

TECHNICAL SPEC:

Log Thickness: 44mn

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: N/A

Main image shows 12'x8' model







DALTON 44mm Log Cabin:

AVAILABLE SIZES:

■ 14'x10' | 14'x12' | 16'x10' 16'x12' | 16'x14' | 18'x10' 18'x12' | 18'x14' | 18'x16' 18'x18' | 20'x10' | 20'x12' 20'x14' | 20'x16' | 20'x18'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Heavy-Duty 19mm T&G Roof & Floor
- Half Georgian Glazed Double Doors
- Joiner Made Opening Windows

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ Door Size: 1520mm x 1880mm
■ Window Size: 1045mm x 645mm







PENDLETON 44mm Log Cabin:

AVAILABLE SIZES:

■ 14'x10' | 16'x10' | 16'x12' 16'x14' | 18'x10' | 18'x12' 18'x14' | 18'x16' | 20'x10' 20'x12' | 20'x14' | 20'x16'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Quality Joiner Made Opening Windows
- Full Pane Toughened Glazed Double Doors & Windows
- Heavy Duty 19mm T&G Roof & Floor

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mn

■ Floor Thickness: 19mm

■ Door Size: 1520mm x 1880mm
 ■ Window Size: 645mm x 1378mm







GYLES44mm Log Cabin:

AVAILABLE SIZES:

■ 14'x10' | 14'x12' | 14'x14' 16'x10' | 16'x12' | 16'x14'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Georgian Style Single Door
- High Quality Joiner Made Opening Windows
- Built in Veranda

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19m
■ Floor Thickness: 19m

■ **Door Size**: 760mm x 1880mm

■ Window Size: 645mm x 1045mm







LIBBY-MAE44mm Log Cabin:

AVAILABLE SIZES:

■ 18'x14' | 18'x16' | 18'x18' 20'x14' | 20'x16' | 20'x18' 20'x20'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Half-Glazed Double Doors and Windows
- High Quality Joiner Made Opening Windows
- Extra High Eaves
- Spacious Built-in Veranda

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ **Window Size:** 645mm x 1045mm







FAIROAK 44mm Log Cabin:

AVAILABLE SIZES:

■ 14'x10' | 14'x12' | 14'x14' 16'x10' | 16'x12' | 16'x14' 18'x10' | 18'x12' | 18'x14' 20'x10' | 20'x12' | 20'x14'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- 19mm T&G Roof & Floor
- Full Pane Toughened Glazed Double Doors & Windows
- Joiner Made Opening Windows
- Easy To Assemble Interlock System
- Contemporary Hipex Roof

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: 1045mm x 645mm







BALMORAL 44mm Log Cabin:

AVAILABLE SIZES:

■ 8'x12' | 10'x12' | 10'x14' 10'x16' | 12'x12' | 12'x14' 12'x16' | 14'x14' | 14'x16' 16'x16'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Georgian Glazed Double Doors & Windows
- Quality Joiner Made Windows
- 19mm T&G Roof & Floor

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 435mm x 1855mr







SUTTON 44mm Log Cabin:

AVAILABLE SIZES:

■ 10'x14' | 10'x16' | 10'x18' 12'x14' | 12'x16' | 12'x18' 14'x14' | 14'x16' | 14'x18'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Full Pane Toughened Double Doors & Windows
- Quality Joiner-Made Full Pane Opening Windows
- 19mm T&G Roof & Floor

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mr

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 645mm x 1378mr







ARK ROYAL 44mm Log Cabin:

AVAILABLE SIZES:

■ 30'x18'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Georgian Glazed Double Doors & Windows
- Joiner Made Opening Windows
- Easy To Assemble Interlock System

TECHNICAL SPEC:

■ Log Thickness: 44mn

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mn

■ Window Size: 645mm x 1045mm

Main image shows 30'x18' model







WARWICK GARAGE 44mm Log Cabin:

AVAILABLE SIZES:

■ 16'x10' | 16'x12' | 16'x14' 18'x10' | 18'x12' | 18'x14' 20'x10' | 20'x12' | 20'x14'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Huge Double Garage Doors
- Joiner Made Opening Georgian-Style Window
- Convenient Side Access Door

TECHNICAL SPEC:

■ Log Thickness: 44mn

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: N/A

■ **Door Size:** 2130mm x 1980mm

■ Window Size: 1045mm x 645mr







OUTDOOR SHELTER

44mm Log Cabin:

AVAILABLE SIZES:

8'x8'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- 2x Integral Heavy Duty Bench Seats
- Convenient Built-In Wall Shelf
- Heavy Duty Corner Posts

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mi

■ Roof Thickness: 19mm
■ Floor Thickness: N/A

Main image shows 8'x8' model







STOWE44mm Log Cabin:

AVAILABLE SIZES:

■ 10'x10' | 12'x10' | 12'x12'

KEY FEATURES:

- 44mm Finish Interlocking Logs
- Pressure Treated Bottom Logs
- Heavy-Duty 19mm T&G Roof

TECHNICAL SPEC:

■ Log Thickness: 44mm

■ Framing Size: 58mm x 44mr

■ Roof Thickness: 19mm

■ Floor Thickness: N/A







KINGSLEY 28mm Log Cabin:

AVAILABLE SIZES:

■ 8'x12' | 10'x8' | 10'x10' 12'x8' | 12'x10' | 14'x18' 14'x10'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Georgian Glazed Double Doors & Windows
- Heavy Duty 19mm T&G Roof & Floor
- Pressure Treated Heavy Duty Floor Joists
- Also Available In 44mm

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ Window Size: N//







HENLEY 28mm Log Cabin:

AVAILABLE SIZES:

■ 10'x8' | 10'x10' | 12'x8' 12'x10' | 14'x8' | 14'x10' 14'x12' | 14'x14'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Georgian-Style Half Glazed Double Doors
- Joiner Made Georgian Opening Window
- Heavy Duty 19mm T&G Roof & Floor
- Also Available In 44mm

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm

■ Window Size: 645mm x 1045mm







SANDRINGHAM 28mm Log Cabin:

AVAILABLE SIZES:

■ 12'x10' | 12'x12' | 14'x10' 14'x12'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Full Pane Fully Toughened Glazed Double Doors & Windows
- Joiner Made Opening Windows
- Heavy Duty 19mm T&G Roof & Floor
- Contemorary Hipex Roof

TECHNICAL SPEC:

■ Log Thickness: 28mn

■ Framing Size: 58mm x 44mr

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ **Window Size**: 645mm x 1378mm







MARLBOROUGH 28mm Log Cabin:

AVAILABLE SIZES:

■ 10'x8' | 10'x10' | 12'x8' 12'x10' | 12'x12' | 14'x8' 14'x10' | 14'x12' | 14'x14'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Extra High Eaves To Maximise Head Room
- Heavy Duty Fully Boarded Double Doors
- High Quality Joiner Made Opening Windows

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44m

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: 1045mm x 645mr







LOTHERTON 28mm Log Cabin:

AVAILABLE SIZES:

■ 8'x8' | 8'x10' | 8'x12' 10'x10' | 10'x12' | 12'x12' 14'x12'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Georgian Glazed Double Doors
- Joiner Made Opening Window
- 19mm Tongue & Groove Roof & Floor

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44mn

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size**: 1520mm x 1880mm ■ **Window Size**: 645mm x 1045mm









ALDFORD BARN

28mm Log Cabin:

AVAILABLE SIZES:

■ 10'x8' | 12'x8' | 14'x8'

KEY FEATURES:

- 28mm Interlocking Logs
- Fully Boarded Double Doors
- Joiner Made Opening Window
- Huge Internal Storage From Unique Roof

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44mr

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: 1045mm x 645mm







BRADWELL 28mm Log Cabin:

AVAILABLE SIZES:

■ 10'x10'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Full Pane Fully Toughened Glazed Double Doors & Windows
- Heavy Duty 19mm T&G Roof & Floor

TECHNICAL SPEC:

■ Log Thickness: 28mn

■ Framing Size: 58mm x 44mm

■ Roof Thickness: 19mm

■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: 645mm x 1045mm

Main image shows 10'x10' model







VICTORIA 28mm Log Cabin:

AVAILABLE SIZES:

■ 14'x10'

KEY FEATURES:

- 28mm Finish Interlocking Logs
- Georgian Glazed Double Doors & Windows
- Large Separate Storage Area

TECHNICAL SPEC:

■ Log Thickness: 28mm

■ Framing Size: 58mm x 44mr

■ Roof Thickness: 19mm
■ Floor Thickness: 19mm

■ **Door Size:** 1520mm x 1880mm

■ Window Size: 645mm x 1045mm

Main image shows 14'x10' model







ASTORIA 19mm Log Cabin:

AVAILABLE SIZES:

■ 6'x6' | 12'x6' | 18'x6'

KEY FEATURES:

- 19mm Finish Interlocking Logs
- Full Pane Toughened Windows & Double Doors
- Pre Assembled Easy Fit Roof
- Flexible Window & Door Placement

TECHNICAL SPEC:

■ Log Thickness: 19mm

■ Framing Size: 28mm x 44mm

■ Roof Thickness: 12mm

■ Floor Thickness: 12mm

■ **Door Size**: 1200mm x 1790mm

■ Window Size: 510mm x 1670mm









ORIANA19mm Log Cabin:

AVAILABLE SIZES:

■ 6'x6' | 12'x6' | 18'x6'

KEY FEATURES:

- 19mm Finish Interlocking Logs
- Top Hinged Opening Window
- Pre Assembled Easy Fit Roof
- Half Glazed Double Doors
- Hinges & Door Handle

TECHNICAL SPEC:

■ Log Thickness: 19mm

■ Framing Size: 28mm x 44mr

■ Roof Thickness: 12mm

■ Floor Thickness: 12mm

■ **Door Size**: 1200mm x 1790mm

■ Window Size: 510mm x 990mn









GEORGIA19mm Log Cabin:

AVAILABLE SIZES:

■ 8'x6' | 10'x6' | 14'x6'

KEY FEATURES:

- 19mm Finish Interlocking Logs
- Glazed Georgian Double Doors
- Georgian-Style Top Hinged Opening Window
- Pre Assembled Easy Fit Roof
- Finished Hinges & Door Pull

TECHNICAL SPEC:

■ Log Thickness: 19mm

■ Framing Size: 28mm x 44mn

■ Roof Thickness: 12mm
■ Floor Thickness: 12mm

■ **Door Size:** 1200mm x 1790mm

■ Window Size: 510mm x 990mr

See more from our range... Please Ask For Details.



















UPGRADES AND ACCESSORIES

Windows And Doors: Please ask for a full list of available door and window options



Full Pane Window Style



Euro Window Style



Full Pane Double Door Style



Half Board Euro Door Style



Georgian Window Style



Full Board Door Style



Classic & L-Shaped Bars

Made from the same interlocking timber as our log cabins, these bars make the perfect addition



Planters & Raised Beds

Choose from a range of raised beds and planters.

They make a great addition to your log cabin



Decking Extensions

Easy to fit decking extensions will bring a new dimension to your log cabin



Guttering

Complete your log cabin with this easy to fit guttering system.



Roof Shingles

Add a classic tile effect with our range of quality roofing shingles. available in 4 colours.



EPDM Rubber Roofing

For a contemporary look we offer a high quality EPDM rubberised roofing option.

Please ask for a full list of available upgrades and accessories

REQUIRE SOMETHING BESPOKE?

BESPOKE DESIGN & BUILD NOW AVAILABLE

If you need something specially crafted we can help you add your own personality into the building.

If you have a specific building requirement, our expertise means that we can also offer you a completely bespoke design and build service. So if you require additional windows, different size options or something completely unique to you, just let us know.

If you need to have a reduced height under 2.5m for planning or aesthetic reasons we can do that too. Just speak to one of our bespoke design team who will be happy to help create that special space and provide you with specially-designed plans for your approval.



